

Material Safety Data Sheet

May be used to comply with
OSHA's Hazard Communication Standard,
29 CFR 1910.1200. Standard must be
consulted for specific requirements.

U.S. Department of Labor

Occupational Safety and Health Administration
(Non-Mandatory Form)
Form Approved
OMB No. 1218-0072

IDENTITY (As Used on Label and List)

OPC Drum in DK-15 for Facsimile DP120F and DP125F

Section I

Manufacture's Name TOSHIBA TEC CORPORATION	Emergency Telephone Number
Address (Number, Street, City, State, and ZIP Code) Shuwa-Shiba Park Bldg. B, 7th floor 2-4-1, Shibakoen Minato-ku, Tokyo 105, JAPAN	Telephone Number for Information 03-3438-6945
	Date Prepared 6-Mar-00
	Signature of Preparer (optional)

Section II - Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV Recommended	Other Limits	% (optional)
Binder resin	Not listed	Not listed	None	<1.0wt%
Photoconductive material	Not listed	Not listed	None	<1.0wt%
Additive	Not listed	Not listed	None	<0.1wt%
Aluminum	15mg/m ³	10mg/m ³ (TWA)	None	<98.2wt%

*Listed not as aluminum tube but aluminum dust.

Section III - Physical/Chemical Characteristics

Boiling Point	No data	Specific Gravity (H ₂ O = 1)	2.7(AI)
Vapor Pressure (mm Hg.)	N. A.	Melting Point	660°C(AI)
Vapor Density (AIR=1)	N. A.	Evaporation Rate (Butyl Acetate = 1)	N. A.

Solubility in Water

Negligible

Appearance and Odor

Green cylinder, no odor

Section IV - Fire and Explosion Hazard Data

Flash Point (Method used) N. A.	Flammable Limits	LEL N.A.	UEL N.A.
------------------------------------	------------------	-------------	-------------

Extinguishing Media

CO₂ and dry chemicals

Special Fire Fighting Procedures

Self contained breathing apparatus and full protection against dust and fumes.

(In case that a large quantity of drums produces fumes or vapors at a high temperature.)

Unusual Fire and Explosion Hazards

N.A.

(Reproduce locally)

* N. A. Not Applicable

OSHA 174, Sept. 1985

Section V - Reactivity Data

Stability	Unstable		Conditions to Avoid
	Stable	X	No data available

Incompatibility (Materials to Avoid)

No data available

Hazardous Decomposition or Byproducts

None

Hazardous Polymerization	May Occur		Conditions to Avoid No data available
	Will Not Occur	X	

Section VI-Health Hazard Data

Route(s) of Entry:	Inhalation?	Skin?	Ingestion?
	No	No	No

Health Hazards (Acute and Chronic)

Ames Test:Negative Acute oral toxicity(rat): LD₅₀>5000mg/kg

Skin irritation:None irritant

Carcinogenicity:	NTP?	IARC Monographs?	OSHA Regulated?
	No	No	No

Signs and Symptoms of Exposure

None

Medical Conditions

Generally Aggravated by Exposure

None

Emergency and First Aid Procedures

Not applicable

Section VII-Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled

Not applicable

Waste Disposal Method

Shuld be dumped observing all federal, state and local laws.

Precautions to Be Taken in Handling and Storing

To keep the function of the photoconductor, sotre in moderately cool, dark and dry place.

Other Precautions

None

Section VIII - Control Measures

Respiratory Protection (Specify Type)

Not required

Ventilation	Local Exhaust Not required	Special Not required
	Mechanical (General) Not required	Other Not required

Protective Gloves	Not necessary	Eye Protection Not required
-------------------	---------------	--------------------------------

Other Protective Clothing or Equipment

Not required

Work/Hygienic Practices

Not required
