

Material Safety Data Sheet

Identity		UB5322005 TX3551		0-266
SECTION I				
Manufacturer's Name		Emergency Telephone Number		
Fuji Kagakushi Kogyo Company Limited		(06) 471-7071		
Address		Telephone Number for Information		
8-43, Utajima 4-chome, Nishi Yodogawa-ku, Osaka 555, Japan		(06) 471-7071		
		Date Prepared		
		Dec. 16, 1991		
SECTION II - Hazardous Ingredients/Identity Information				
Hazardous Components	CAS No.	OSHA PEL	ACGIH TLV	Other Limits
Paraffin Wax (fume)	8002-74-2	N/A	2.0mg/m ³	N/A
Titanium dioxide	13463-67-7	15.0mg/m ³	15.0mg/m ³	N/A
Predominant Components		Not Applicable		
Coloring material				
Wax				
Resin				
Additive				
Polyethyleneterephthalate film				
SECTION III - Physical/Chemical Characteristics				
Melting point	N/A	Specific Gravity	N/A	
Boiling Point, Evaporation Rate	N/A	Vapor Pressure/Density	N/A	
Solubility in Water	No data			
Appearance and Odor				
Polyethyleneterephthalate film coated on one side there of with white ink.				

SECTION IV - Fire and Explosion Hazard Data				
Flash Point	N/A		Flammable Limits	LEL N/A UEL N/A
Extinguishing Media	Water mist, Foam, Dry powder, CO ₂ gas, others			
Special Fire Fighting Procedures	N/A			
Unusual Fire and Explosion Hazards	None			
SECTION V - Reactivity Data				
Stability	Unstable		Condition to Avoid	
	Stable	X	N/A	
Incompatibility (Material to Avoid)	None			
Hazardous Decomposition or Byproducts	None			
Hazardous Polymerization	May Occur		Condition to Avoid	
	Will Not Occur	X	N/A	
SECTION VI - Health Hazard Data				
Route(s) of Entry:	Inhalation?	Skin?		Ingestion?
	No	Yes		Yes
Health Hazards(Acute and Chronic)	No data available			
Carcinogenicity:	NTP?	IARC Monographs?	OSHA Regulated?	
	No	No	No	
Signs and Symptoms of Exposure	No data available			
Medical Conditions	Generally Aggravated by Exposure			
	No data available			
Emergency and First Aid Procedures	Wash away with soap and water an ink sticking to skin. If ink has contacted eye, wash it with enough water, then consult a doctor.			

SECTION VII - Precautions for Safe Handling and Use			
Steps to Be Taken in Case Material Is Released or Spilled			
An inadvertently released or rewound ribbon should be wound again on the reel.			
Waste Disposal Method			
Dispose in accordance with local, state and federal regulations.			
Precautions to Be Taken in Handling and Storing			
Should be stored at dark and cold place.			
Other Precautions			
None			
SECTION VIII - Control Measures			
Respiratory Protection (Specify Type)		None	
Ventilation	Local Exhaust	N/A	Special
	Mechanical (General)	N/A	Other
Protective Gloves		Eye Protection	
N/A		N/A	
Other Protective Clothing or Equipment			
N/A			
Work/Hygienic Practices			
None			